

Study on microwave assisted synthesis of n-butyl cinnamate catalyzed by macroporous resin	Li Yu; Huang Li; Zhang De-zhi; Tao Wen-cheng	2008	China Surfactant Deterg. Cosmet., 2008, 38, 42-4
Catalytic dehydration of fructose into 5-hydroxymethylfurfural by ion-exchange resin in mixed-aqueous system by microwave heating	Qi, X.; Watanabe, M.; Aida, T.; Smith, Jr., R.	2008	Green Chem., 2008, 10, 799-805
A benign approach of microwave assisted synthesis of copolymeric resin with improved thermal, spectral and ion-exchange properties	Patel, Nayan B.; Shah, Ajay V.; Shah, Bhavna A.	2008	Iran Polym. J., 2008, 17, 3-17
Microwave-Assisted Ring-Opening of Activated Aziridines with Resin-Bound Amines	Crestey, François; Witt, Matthias; Frydenvang, Karla; Staerk, Dan; Jaroszewski, Jerzy W.; Franzyk, Henrik	2008	J. Org. Chem., 2008, 73, 3566-3569
Resin-Bound (Succinimid-1-yloxy carbonyl methyl) triphenyl phosphonium Ylide - A Synthon for Rapid Access to Diverse Heterocycles under Microwave Heating	Henkel, B.	2008	Synlett, 2008, 3, 355-358
Preparation of needle shaped nano-copper by microwave-assisted water system and study on its application of enhanced epoxy resin coating electrical conductivity	Cheng, Xiaonong; Xu, Chi; Yin, Hengbo; Yuan, Jian; Zhang, Xifeng	2008	Appl. Surf. Sci., 2008, 254, 5757-5759
Microwave-assisted solid phase peptide synthesis on high loaded resins	Coatic, Stephanie; Subra, Gilles; Martinez, Jean	2008	Intern. J. Pept. Res. Ther., 2008, 14, 143-147
Microwave-Assisted Synthesis of Benzimidazoles, Benzoxazoles, and Benzothiazoles from Resin-Bound Esters	Lim, H.-J.; Myung, D.; Lee, I.Y.C.; Jung, M.H.	2008	J. Comb. Chem., 2008, 10, 501-503
Efficient microwave-assisted synthesis of myelin epitopes MOG35-55 and MOG97-108 using CLTR-CL resin	Friligou, Irene; Agelis, George; Matsoukas, John; Tselios, Theodore	2008	J. Peptide Sci., 2008, 14, 90
Rapid Synthesis of Phenolic Resins by Microwave-Assisted Self-Condensation of Hydroxybenzyl Alcohol Derivatives	Kobayashi, A.; Konishi, G.	2008	Polym. J. Tokyo, 2008, 40, 590-591
Liquid Phase and Microwave Assisted Oxidation of Some Hydrocarbons, Aromatic Aldehydes, and Phenols by Cerium(IV) Catalyzed by Iridium(III) in Acidic Medium	Tandon, P.; Srivastava, M.; Singh, S.; Singh, S.	2008	Synth. Commun., 2008, 38, 2125-2137
Microwave irradiation accelerated rapid, efficient and high yield esterification of Boc-amino acid to Merrifield resin mediated by KF	Babu, V. V. S.; Kantharaju; Krishna, G. C.	2007	Indian J. Chem Sect.: B; 2007 46, 1466-1469
Synthesis, characterization, and application of a new chelating resin functionalized with dithioamide	Das, A.K.; Dutta, S.	2007	J. Appl. Polym. Sci., 2007, 103, 2281-2285
Microwave-Assisted Suzuki Cross-Coupling Reaction, a Key Step in the Synthesis of Polycyclic Aromatic Hydrocarbons and Their Metabolites	Sharma, Arun K.; Gowdhalli, Krishnegowda; Krzeminski, Jacek; Amin, Shantu	2007	J. Org. Chem., 2007, 72, 8987-8989
Microwave assisted Friedel-Crafts acylation reactions of Amberlite XAD-4™ resin	Katheline O.V. Flores, Alcino Palermo de Aguiar, Mônica Regina Marques Palermo de Aguiar and Luiz Claudio de Santa Maria	2007	Mater. Lett., 2007, 61, 1190-1196
Microwave-initiated living free radical polymerization: optimization of the preparative scale synthesis of Rasta resins	Pawluczyk, J. M.; McClain, R. T.; Denicola, C.; Mulhearn, J. J.; Rudd, D. J.; Lindsley, C. W.	2007	Tetrahedron Lett., 2007, 48, 1497-1501
Microwave-assisted iridium-catalyzed [2+2] cycloaddition of resin-bound dipropargylamine with alkynes	Shanmugasundaram, Muthian; Aguirre, Ana Luisa; Leyva, Melissa; Quan, Beili; Martinez, Luis E.	2007	Tetrahedron Lett., 2007, 48, 7698-7701
Microwave-initiated living free radical polymerization: optimization of the preparative scale synthesis of Rasta resins	Pawluczyk, Joseph M.; McClain, Ray T.; Denicola, Jr. Chris; Mulhearn, James J.; Rudd, Deanne Jackson; Lindsley, Craig W.	2007	Tetrahedron, 2007, 63, 1497-1501
Evaluation of phenolic resins from one-pot microwave synthesis	Britten, A.; MacIntyre, M.M.; Miadonye, A.	2007	WIT Trans. Modell. Simul., 2007, 46, 861-869
An engineered linker capable of promoting on-resin reactions for microwave-assisted solid-phase organic synthesis	Dai, Wei-Min; Sun, Li-Ping	2006	Angew. Chem. Int. Ed., 2006, 45, 7255-7258

Microwave synthesis of phenylethynyl imide oligomers: Neat resin and composite properties of PETI-298/sup2-4/	Connell, John W.; Criss Jr., Jim M.; Li, Chao-Jun; Smith Jr., Joseph G.; Wu, Wei	2006	High Perform Polym., 2006, 18, 341-354
Comparison of solid phase extraction, saponification and gel permeation chromatography for the clean-up of microwave-assisted biological extracts in the analysis of polycyclic aromatic hydrocarbons	Navarro, P.; Cortazar, E.; Bartolome, L.; Deusto, M.; Raposo, J. C.; Zuloaga, O.; Arana, G.; Etxebarria, N.	2006	J. Chromatogr. A, 2006, 1128
Microwave-Assisted Solid-Phase Synthesis of 2,5-Diketopiperazines: Solvent and Resin Dependence	Tullberg, Marcus; Luthman, Kristina; Gr tli, Morten	2006	J. Comb. Chem., 2006, 8, 915-922
Use of PIXE to determine the adsorptive capacity of a chelating resin containing 2-aminothiophenyl S-acetic acid from microwave digested solution of fly ash	Dutta, M.; Sudarshan, M.; Das, A. K.	2006	J. Indian Chem. Soc., 2006, 83, 826-841
Esterification of propionic acid under microwave irradiation over an ion-exchange resin	Toukoniitty, B.; Mikkola, J. P.; Eranen, K.; Salmi, T.; Murzin, D. Y.	2005	Catal. Today, 2005, 100, 431-435.
Simultaneous microwave-assisted extraction of polycyclic aromatic hydrocarbons, polychlorinated biphenyls, phthalate esters and nonylphenols in sediments	Bartolome, L.; Cortazar, E.; Raposo, J. C.; Usobiaga, A.; Zuloaga, O.; Etxebarria, N.; Fernandez, L. A.	2005	J. Chromatogr. A, 2005, 1068, 229-236
Wang-aldehyde resin as a recyclable support for the synthesis of alpha,alpha-disubstituted amino acid derivatives	Guino, M.; Hii, K.K.	2005	Org. Biomol. Chem., 2005, 3, 3188-3193.
Dielectric studies of three epoxy resin systems during microwave cure	Zong, L.; Kempel, L. C.; Hawley, M. C.	2005	Polymer, 2005, 46, 2638-2645.
Microwave-assisted immobilization of $\beta$ -cyclodextrin on PEGylated Merrifield resins	Siu, May; Yaylayana, Varoujan A.; Bélanger, Jacqueline M.R.; Paré, J.R.	2005	Tetrahedron Lett., 2005, 46, 3737-3739
Microwave-assisted immobilization of the REDOX indicator 2,6-dichloroindophenol on PEGylated Merrifield resins	Siu, M.; Yaylayan, V.A.; Bélanger, J.M.R.; Paré, J.R.J.	2005	Tetrahedron Lett., 2005, 46, 5543-5545.
Microwave Assisted Facile One-Pot Synthesis of 1; 8; 8Re-Complex Using a Tetrahydroborate Exchange Resin. A Bifunctional Chelating Agent for Radiopharmaceuticals	Park, S. H.; Gwon, H. J.; Park, K. B.	2004	Chem. Lett., 2004, 33, 1278-1279
Synthesis of thiourea-resin by microwave irradiation and its adsorption properties	Li, H.; Lu, J-M; Wang, L-H; Zhang, Z-B; Zhu, X-L	2004	Gao Xiao Hua Xue Gong Cheng Xue Bao., 2004, 18, 62-66.
An Efficient Monitoring Technique for Solid-Phase Reactions by KBr Pellets/FT-IR Using Methyl p-Aminobenzoate Synthesis Assisted by Microwave Radiation on Merrifield Resin	Antonow, D.; Graebin, C. S.; Eifler-Lima, V. L.	2004	J. Braz. Chem. Soc., 2004, 15, 782-785
Microwave accelerated facile synthesis of fused polynuclear hydrocarbons in dry media by intramolecular Friedel-Crafts alkylation	Kurteva, VB; Santos, AG; Afonso, CAM	2004	Org. Biomol. Chem., 2004, 2, 514-23
Microwave assisted synthesis of unsaturated polyester resins	Bogdal, D.; Gorczyk, J.; Penczek, P.; Pielichowski, J.; Wolff, E.	2004	Polim, 2004, 49, 763-766.
Alternative routes for catalyst preparation: use of ultrasound and microwave irradiation for the preparation of vanadium phosphorus oxide catalyst and their activity for hydrocarbon oxidation	Pillai, UR; Sahle-Demessie, E; Varma, RS	2003	Appl. Catal., A, 2003, 252, 1-8
Recoverable resin-supported pyridylamide ligand for microwave-accelerated molybdenum-catalyzed asymmetric allylic alkylations: enantioselective synthesis of baclofen	Belda, O; Lundgren, S; Moberg, C	2003	Org. Lett., 2003, 5, 2275-78
Solid-supported cyclohexane-1,3-dione (CHD): a "capture and release" reagent for the synthesis of amides and novel scavenger resin	Humphrey, CE; Easson, MAM; Tierney, JP; Turner, NJ	2003	Org. Lett., 2003, 5, 849-52
Microwave assisted synthesis and determination of chain branching in solid epoxy resins using $^1\text{H}$ NMR spectrometry	Bogdal, D; Gorczyk, J	2003	Polymer, 2003, 44, 7795-800

Microwave-initiated living free radical polymerization: rapid formation of custom Rasta resins	Wisnoski, DD; Leister, WH; Strauss, KA; Zhao, Z; Lindsley, CW	2003	Tetrahedron Lett., 2003, 44, 4321-25
Technology for synthesis of anti-salt superabsorbent resin under microwave radiation and its performance of absorbability	Chen, CP; Deng, FJ; Wang, P; Zheng, T	2002	Huagong Xiandai, 2002, 22, 127-32
Synthesis of resins by microwave and infrared heating as precursors of $\alpha$ -alumina. Comparison of the results.	Hernandez, MT; Gonzalez, M	2002	Key Eng. Mater., 2002, 206-213, 71-74
Synthesis of elevated-molecular-weight epoxy resins with aid of microwaves	Bogdal, D; Gorczyk, J; Kowalski, G; Penczek, P; Pielichowski, J	2002	Polim., 2002, 47, 842-44
Microwave-assisted synthesis of a new chelating resin containing 2-aminothiophenyl S-acetic acid and its application to the determination of lead	Das, AK; Mondal, BC	2002	React. Funct. Polym., 2002, 53, 45-52
Microwave-assisted PEGylation of Merrifield resins	Yaylayan, VA; Siu, M; Belanger, JMR; Pare, JRJ	2002	Tetrahedron Lett., 2002, 43, 9023-26
Synthesis of high molecular weight epoxy resins under microwave irradiation	Gorczyk, J; Bogdal, D; Pielichowski, J; Penczek, P	2001	ECSOC-5 (www.mdpi.net), 2001, E0035
Epoxy resins crosslinking under microwave and/or electron beam treatment	Iovu, H; Calinescu, I; Mateescu, E; Martin, D; Girea, S	2001	ECSOC-5 (www.mdpi.net), 2001, E0043
Catalytic conversion of $C_1 - C_n$ hydrocarbons to olefins and hydrogen: microwave-assisted C-C and C-H bond activation.	Tanner, DD; Kandamarachchi, P; Ding, Q; Shao, H; Vizitiu, D; Franz, JA	2001	Energy Fuels, 2001, 15, 197-204
Synthesis technology of super water-absorbant resin by grafting acrylic acid from reclaimed pulp cellulose	Wang, P; Yan, J; Zhang, Z; Zheng, T	2001	Huagong Xiandai, 2001, 21, 35-39
Microwave-assisted preparation of functionalized resins for combinatorial synthesis	Yang, H; Peng, Y; Song, G; Qian, X	2001	Tetrahedron Lett., 2001, 42, 9043-46
Solid phase coupling of benzoic acid to Wang resin: a comparison of thermal versus microwave heating.	Stadler, A; Kappe, CO	2000	ECSOC-4 (www.mdpi.net), 2000, B0002
The preparation of resin-bound nitroalkenes and some applications in high pressure promoted cycloadditions	Kuster, GJ; Scheeren, HW	2000	Tetrahedron Lett., 2000, 41, 515-19
Wang resin bound addition reactions under microwave irradiation	Yu, AM; Zhang, ZP; Yang, HZ; Zhang, CX; Liu, Z	1999	Synth. Commun., 1999, 29, 1595-99
1-3-dipolar cycloadditions of polycyclic aromatic hydrocarbons with nitrile oxides under microwave irradiation in the absence of solvent	Corsaro, A; Chiacchio, U; Librando, V; Fisichella, S; Pistara, V	1997	Heterocycles, 1997, 45, 1567-72
The microwave reaction of phenyl glycidyl ether with aniline on inorganic supports: a model for the microwave crosslinking of epoxy resins.	Jullien, H; Petit, A; Merienne, C	1996	Polymer, 1996, 37, 3319-30